



BEARING FORGE OF AMERICA CORP.



140 mm x 210 mm x 33 mm NACHI 6028 Deep groove ball bearings

Bearing No. 6028

6028 Bearing 2D drawings and 3D CAD models

Size	140x210x33 mm
Bore Diameter	140 mm
Outer Diameter	210 mm
Width	33 mm
d	140 mm
D	210 mm
B	33 mm
C	33 mm
r min.	2 mm
da min.	148 mm
Da max.	202 mm
ra max.	2.0 mm
Weight	4.15 Kg
Basic dynamic load rating (C)	110 kN
Basic static load rating (C0)	109 kN
(Grease) Lubrication Speed	3000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling	No



BEARING FORGE OF AMERICA CORP.

Slot	
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	140MM Bore; 210MM Outside Diameter; 33MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nachiamerica.com
Weight / LBS	7.6654
Bore	5.512 Inch 140 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	8.268 Inch 210 Millimeter
Outer Race Width	1.299 Inch 33 Millimeter
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	140 mm
Width	33 mm
Fillet Radius/Chamfer	2 mm
Dynamic Load Rating	110,000 N



BEARING FORGE OF AMERICA CORP.

Static Load Rating	109,000 N
Limiting Speed - Grease	3,000 rpm
Limiting Speed - Oil	3,600 rpm
Factor f_0	15.9
Radial Clearance	0.018 to 0.048 mm
d_a (min)	148 mm
D_a (max)	202 mm
r_a (max)	2 mm